(original): A dye mixture comprising at least one dye of formula

$$D_{1}-N=N$$

$$HO_{3}S$$

$$NR_{1}R_{2}$$

$$N=N-D_{2}$$

$$(1)$$

together with at least one dye from the group of formulae

wherein

 R_1 and R_2 are each independently of the other hydrogen or unsubstituted or substituted C_1 - C_8 alkyl, R_3 and R_4 are each independently of the other hydrogen or unsubstituted or substituted C_1 - C_4 alkyl, $(R_5)_{0-3}$ denotes from 0 to 3 identical or differing substituents from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, carboxy, nitro and sulfo,

(SO₃H)₂

A is unsubstituted or substituted phenylene, unsubstituted or substituted naphthylene, or C₂-C₈alkylene which may be interrupted by oxygen,

 D_1 and D_2 are each independently of the other the radical of a diazo component of the benzene or naphthalene series,

q and r are each independently of the other the number 0 or 1,

X₁ is halogen or a non-fibre-reactive substituent, and

Y₁ and Y₂ are each independently of the other a radical of formula

$$-SO_{2}-Z \hspace{1cm} (3a), \\ -NH-CO-(CH_{2})_{m}-SO_{2}-Z \hspace{1cm} (3b), \\ -CONH-(CH_{2})_{n}-SO_{2}-Z \hspace{1cm} (3c), \\ -NH-CO-CH(Hal)-CH_{2}-Hal \hspace{1cm} (3d), \\ -NH-CO-C(Hal)=CH_{2} \hspace{1cm} (3e) \hspace{1cm} or \hspace{1cm} \\ -NH \hspace{1cm} NH \hspace{1cm} (3f), \\ \end{array}$$

wherein

 X_2 is halogen, T_1 independently has the definition of X_2 , is a non-fibre-reactive substituent or is a fiber-reactive radical of formula

$$-NH-(CH_2)_{2-3}-SO_2-Z$$
 (4a),

$$-NH-(CH_2)_{2-3}-O-(CH_2)_{2-3}-SO_2-Z$$
 (4b),

wherein

Z is vinyl or a radical -CH₂-CH₂-U and U is a group that is removable under alkaline conditions; Q is a group -CH(Hal)-CH₂-Hal or -C(Hal)=CH₂,

m and n are each independently of the other the number 2, 3 or 4, Hal is halogen,

Y₃ is a radical of the above-mentioned formula (3a), or is a radical of formula

wherein

s is the number 0 or 1, and

X₃ is halogen or C₁-C₄akylsulfonyl,

X₄ is halogen or C₁-C₄alkyl and

T₂ is hydrogen, cyano or halogen, and

V is C₂-C₄alkanoyl, benzoyl which is unsubstituted or is substituted by a radical of formula (3g), or is a radical of formula

$$\begin{array}{c} -NH \\ \searrow -N \\ N \\ \searrow -N \end{array}$$

$$X_5$$
 (3h),

wherein

X₅ is halogen, and

 T_3 is a non-fibre-reactive substituent.

- 2. (original): A dye mixture according to claim 1, wherein R_1 and R_2 are hydrogen.
- 3. (currently amended): A dye mixture according to either claim 1-or claim 2, wherein R_3 is hydrogen, methyl or ethyl and R_4 is hydrogen.
- 4. (currently amended): A dye mixture according to any one of claims 1 to 3 claim 1, wherein X₁ is chlorine.
- 5. (currently amended): A dye mixture according to any one of claims 1 to 4 claim 1, wherein D_1 and D_2 are each independently of the other a radical of formula

$$(5),$$

wherein

 $(R_6)_{0-3}$ denotes from 0 to 3 identical or differing substituents from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, carboxy, nitro and sulfo, and

Y₄ is a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f) according to claim 1.

6. (currently amended): A dye mixture according to any one of claims 1 to 5 claim 1, wherein D_1 and D_2 are each independently of the other a radical of formula

$$SO_2$$
- Z_1 (5a),

$$(SO_3H)_{0-1}$$
 $(5b)$,

$$(SO_3H)_{0-1}$$

 $NH-CO-(CH_2)_m-SO_2-Z_3$ (5c),

$$(SO_3H)_{0-1}$$
 (5d) or $(SO_3H)_{0-1}$

wherein

 $(R_{6a})_{0-2}$ denotes from 0 to 2 identical or differing substituents from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy and sulfo,

 Y_{4a} is α,β -dibromopropionylamino or α -bromoacryloylamino,

m is the number 2 or 3,

n is the number 2 or 3, and

 Z_1 , Z_2 , Z_3 and Z_4 are each independently of the others vinyl, β -chloroethyl or β -sulfatoethyl.

7. (currently amended): A dye mixture according to any one of claims 1 to 6 claim 1, wherein -A-Y₁ is a radical of formula

$$SO_2$$
- Z_1 (5a),

$$(SO_3H)_{0-1}$$
 (5b) or SO_2 - Z_2

$$(SO_3H)_{0-1}$$

 $NH-CO-(CH_2)_m-SO_2-Z_3$ (5c),

wherein

 $(R_{6a})_{0.2}$ denotes from 0 to 2 identical or differing substituents from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy and sulfo,

m is the number 2 or 3, and

 Z_1 , Z_2 and Z_3 are each independently of the others vinyl, β -chloroethyl or β -sulfatoethyl.

8. (currently amended): A dye mixture according to any one of claims 1 to 7 claim 1, wherein R_1 and R_2 are hydrogen,

D₁ is a radical of formula

$$R_{6a}$$
 3
 4
 SO_2 - Z_{1a}
 R_{6b}
(5aa) and

D₂ is a radical of formula

$$\begin{array}{c}
3\\
\text{SO}_2\text{-}Z_{1b}
\end{array}$$

$$\begin{array}{c}
\text{(5ab)},\\
\end{array}$$

wherein

 R_{6a} and R_{6b} are each independently of the other methyl or methoxy, and Z_{1a} and Z_{1b} are each independently of the other vinyl, β -chloroethyl or β -sulfatoethyl.

9. (currently amended): A dye mixture according to any one of claims 1 to 8 claim 1, wherein the dye of formula (2a) is a dye of formula

$$(HO_3S)_{1-2} \longrightarrow N \longrightarrow N \longrightarrow SO_2-Z_1$$

$$(2aa)_1$$

$$(BO_3S)_{1-2} \longrightarrow N \longrightarrow SO_3$$

wherein

R₃ is hydrogen, methyl or ethyl, and

 Z_1 is vinyl, β -chloroethyl or β -sulfatoethyl.

10. (currently amended): Use of a dye mixture according to any one of claims 1 to 9 in the A method of dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a tinctorially effective amount of a dye mixture according to claim 1.

- 11, (currently amended): <u>A method Use according to claim 10</u>, wherein cellulosic fibre materials, especially cotton containing fibre materials, are dyed or printed.
- 12. (original): An aqueous ink comprising a dye mixture according to claim 1.
- 13. (currently amended): Use of an aqueous ink according to claim 12 in an inkjet printing method for the A method of printing of hydroxyl-group-containing or nitrogen-containing fibre materials by the inkjet printing method, which comprises contacting said materials with a tinctorially effective amount of an aqueous ink according to claim 12.
- 14. (new): A method according to claim 10, wherein cotton-containing fibre materials are dyed or printed.
- 15. (new): A method according to claim 13, wherein hydroxyl-group-containing fibre materials are dyed or printed.